LECTURE PRESENTATIONS

For CAMPBELL BIOLOGY, NINTH EDITION

Jane B. Reece, Lisa A. Urry, Michael L. Cain, Steven A. Wasserman, Peter V. Minorsky, Robert B. Jackson

Chapter 3



Figure 3.1



© 2011 Pearson Education, Inc.

Overview: The Molecule That Supports All of Life


- Water is the biological medium on Earth
- All living organisms require water more than any other substance
- Most cells are surrounded by water, and cells themselves are about 70–95% water
- The abundance of water is the main reason the Earth is habitable

Concept 3.1: Polar covalent bonds in water molecules result in hydrogen bonding

- The water molecule is a polar molecule: the opposite ends have opposite charges
- Polarity allows water molecules to form hydrogen bonds with each other



Figure 3.2



Concept 3.2: Four emergent properties of water contribute to Earth's suitability for life

- Four of water's properties that facilitate an environment for life are
 - Cohesive behavior
 - Ability to moderate temperature
 - Expansion upon freezing
 - Versatility as a solvent

Cohesion of Water Molecules

- Collectively, hydrogen bonds hold water molecules together, a phenomenon called cohesion
- Cohesion helps the transport of water against gravity in plants
- Adhesion is an attraction between different substances, for example, between water and plant cell walls





Figure 3.3



- Surface tension is a measure of how hard it is to break the surface of a liquid
- Surface tension is related to cohesion

Figure 3.4



© 2011 Pearson Education, Inc.

Moderation of Temperature by Water

- Water absorbs heat from warmer air and releases stored heat to cooler air
- Water can absorb or release a large amount of heat with only a slight change in its own temperature

- The Celsius scale is a measure of temperature using Celsius degrees (°C)
- A calorie (cal) is the amount of heat required to raise the temperature of 1 g of water by 1°C
- The "calories" on food packages are actually kilocalories (kcal), where 1 kcal = 1,000 cal
- The joule (J) is another unit of energy where
 1 J = 0.239 cal, or 1 cal = 4.184 J

Water's High Specific Heat

- The specific heat of a substance is the amount of heat that must be absorbed or lost for 1 g of that substance to change its temperature by 1°C
- The specific heat of water is 1 cal/g/°C
- Water resists changing its temperature because of its high specific heat


- Water's high specific heat can be traced to hydrogen bonding
 - Heat is absorbed when hydrogen bonds break
 - Heat is released when hydrogen bonds form
- The high specific heat of water minimizes temperature fluctuations to within limits that permit life

Evaporative Cooling

- Evaporation is transformation of a substance from liquid to gas
- Heat of vaporization is the heat a liquid must absorb for 1 g to be converted to gas
- As a liquid evaporates, its remaining surface cools, a process called evaporative cooling
- Evaporative cooling of water helps stabilize temperatures in organisms and bodies of water

Floating of Ice on Liquid Water

- Ice floats in liquid water because hydrogen bonds in ice are more "ordered," making ice less dense
- Water reaches its greatest density at 4°C
- If ice sank, all bodies of water would eventually freeze solid, making life impossible on Earth




Water: The Solvent of Life

- A solution is a liquid that is a homogeneous mixture of substances
- A solvent is the dissolving agent of a solution
- The solute is the substance that is dissolved
- An aqueous solution is one in which water is the solvent

- Water is a versatile solvent due to its polarity, which allows it to form hydrogen bonds easily
- When an ionic compound is dissolved in water, each ion is surrounded by a sphere of water molecules called a hydration shell

Figure 3.7



Hydrophilic and Hydrophobic Substances

- A hydrophilic substance is one that has an affinity for water
- A hydrophobic substance is one that does not have an affinity for water
- Oil molecules are hydrophobic because they have relatively nonpolar bonds
- A colloid is a stable suspension of fine particles in a liquid

- Molecular mass is the sum of all masses of all atoms in a molecule
- Numbers of molecules are usually measured in moles, where 1 mole (mol) = 6.02 x 10²³ molecules
- Avogadro's number and the unit dalton were defined such that 6.02 x 10²³ daltons = 1 g
- Molarity (M) is the number of moles of solute per liter of solution

Concept 3.3: Acidic and basic conditions affect living organisms

- A hydrogen atom in a hydrogen bond between two water molecules can shift from one to the other
 - The hydrogen atom leaves its electron behind and is transferred as a proton, or hydrogen ion (H⁺)
 - The molecule with the extra proton is now a hydronium ion (H₃O⁺), though it is often represented as H⁺
 - The molecule that lost the proton is now a hydroxide ion (OH⁻)

The pH Scale

 In any aqueous solution at 25°C the product of H+ and OH- is constant and can be written as

$$[H^+][OH^-] = 10^{-14}$$

 The pH of a solution is defined by the negative logarithm of H⁺ concentration, written as

$$pH = -log[H^+]$$


For a neutral aqueous solution


[H⁺] is
$$10^{-7} = -(-7) = 7$$

- Concentrations of H⁺ and OH⁻ are equal in pure water
- Adding certain solutes, called acids and bases, modifies the concentrations of H⁺ and OH⁻
- Biologists use something called the pH scale to describe whether a solution is acidic or basic (the opposite of acidic)

Acids and Bases

- An acid is any substance that increases the H⁺ concentration of a solution
- A base is any substance that reduces the H⁺ concentration of a solution






Buffers

- The internal pH of most living cells must remain close to pH 7
- Buffers are substances that minimize changes in concentrations of H⁺ and OH⁻ in a solution
- Most buffers consist of an acid-base pair that reversibly combines with H⁺

Acidification: A Threat to Water Quality

- Human activities such as burning fossil fuels threaten water quality
- CO₂ is the main product of fossil fuel combustion
- About 25% of human-generated CO₂ is absorbed by the oceans
- CO2 dissolved in sea water forms carbonic acid;
 this process is called ocean acidification

Figure 3.11



- The burning of fossil fuels is also a major source of sulfur oxides and nitrogen oxides
- These compounds react with water in the air to form strong acids that fall in rain or snow
- Acid precipitation is rain, fog, or snow with a ph lower than 5.2
- Acid precipitation damages life in lakes and streams and changes soil chemistry on land